



## **PRODUCT SAFETY DATA SHEET**

Issue No: 1

Date of issue: 23 March 2006

### **1. Identification.**

**Canac Hutch & Cage Cleaner**

Size: 500ml

Description: White polythene bottle with blue/yellow label. Blue/clear trigger spray.

### **2. Composition**

**1% or over but less than 10%:**

**Amphoteric surfactant:** 5.0%w/w. CAS Number 107-41-5. Symbol Xi. Risk phrases R36/38.

**0.1% or over, but less than 1%:**

**Polymeric biguanide hydrochloride (20%aq):** 0.2%w/w. Symbol Xn, N. Risk phrases R22, R41, R38, R43, R50, R53.

**EDTA Sodium salt :** 0.2%w/w. Symbol Xn. Risk phrases R22, R36, R52/53.

**Nonionic surfactant.**

**Perfume**

**Balance:** water.

### **3. Hazard Identification**

Avoid contact with eyes.

### **4. First Aid Measures**

Ingestion: Wash out mouth. Do not induce vomiting. Seek medical advice if the amount ingested is more than trivial.

Eye contact: Flush eye with copious amounts of water for at least 15 minutes. Seek medical attention if irritation persists.

Skin contact: wash with soap and water.

### **5. Fire Fighting Measures**

Non-combustible liquid.

Fires involving this product may generate irritating and toxic fumes due to the plastic content.

Suitable fire extinguishing material: Foam, water, dry agent, carbon dioxide.

### **6. Accidental Release Measures**

Absorb on to a suitable inert material prior to safe disposal.

### **7. Handling and Storage**

No special requirements.

### **8. Personal Protection**

None.

### **9. Physical and Chemical Properties**

Appearance: clear straw-coloured liquid.

Odour: characteristic of meadow hay perfume.

### **10. Stability and Reactivity**

Stable under normal conditions.

## **11. Toxicological Information**

Polymeric biguanide hydrochloride (20%aq):

Acute Oral LD<sub>50</sub> (rats) > 2000mg/kg

Amphoteric surfactant:

Acute Oral LD<sub>50</sub> (rats) > 2000mg/kg.

## **12. Ecological Information**

Polymeric biguanide hydrochloride (20%aq): Fish toxicity LC<sub>50</sub> (48h) < 1mg/l

Amphoteric surfactant. Fish toxicity LC<sub>50</sub> (48h) > 1mg/l

EDTA Sodium Salt. Fish toxicity LC<sub>50</sub> (48h) > 500mg/l.

## **13. Disposal Considerations**

Dispose of according to local and national regulations.

## **14. Transport Information**

No special requirements.

## **15. Regulatory Information**

None

## **16. Other Information**

The information given on this Safety Data Sheet (SDS) does not constitute an assessment in accordance with Control of Substances Hazardous to Health (COSHH) Regulations 2002, in the UK.

**Before using any product, ensure that you read and understand its label.**

Outside the UK, the registration of this product may be necessary before use and any additional local requirements must be observed at all times.

## **Further Information:**

Before using any product, ensure that you read and understand its label.

The information contained in this safety data sheet is, to the best of our knowledge and belief, accurate and reliable at the time of publication. The information relates only to the specific material designated in this safety data sheet and may not be valid for such material if it is used in combination with any other material(s) or any other use that that specified therein. Sinclair Animal and Household Care Ltd is not liable for the use of this product for any other purpose that that described in this safety data sheet. This does not affect your statutory rights. It is the user's responsibility to satisfy him / herself as to the suitability in completeness of such information for his / her own particular use.

Copyright © (2004) Sinclair Animal and Household Care Ltd, Ropery Road, Gainsborough, Lincolnshire DN21 2QB, UK.

T: +44 (0) 1427 810231, F: +44 (0) 1427 810837. [www.sinclair-sahc.com](http://www.sinclair-sahc.com).